

**American Housing Survey - Selected Elements Related to Healthy Homes
2007 Washington, DC-MD-VA and 2007 National ***

1

| Characteristic | Occupied | | Owner Occupied | | Rental | | Severe Problems | | Moderate Problems | | Below Poverty | | Central City | |
|--------------------------------------|----------|----------|----------------|----------|--------|----------|-----------------|----------|-------------------|----------|---------------|----------|--------------|----------|
| | MSA | National | MSA | National | MSA | National | MSA | National | MSA | National | MSA | National | MSA | National |
| Total Occupied Units(,000) | 1,949 | 110,692 | 1,330 | 75,647 | 620 | 35,045 | 27 | 1,806 | 47 | 3,965 | 138 | 14,159 | 247 | 31,451 |
| GENERAL | | | | | | | | | | | | | | |
| Owner occupied(,000) | | 75,647 | | 75,647 | | . | | 729 | | 1,565 | | 5,568 | | 16,315 |
| Renter occupied(,000) | | 35,045 | | . | | 35,045 | | 1,077 | | 2,401 | | 8,591 | | 15,136 |
| Owner occupied | | 68.3% | | 100% | | <0.1% | | 40.4% | | 39.5% | | 39.3% | | 51.9% |
| Renter occupied | | 31.7% | | <0.1% | | 100% | | 59.6% | | 60.5% | | 60.7% | | 48.1% |
| Units in Structure | | | | | | | | | | | | | | |
| 1, detached | 50.9% | 64.5% | 68.3% | 82.6% | 13.6% | 25.5% | 26.6% | 43.4% | 30.6% | 45.3% | 23.3% | 41.2% | 14.1% | 49.4% |
| 1, attached | 19.7% | 5.5% | 21.9% | 5.3% | 15.0% | 5.8% | 20.5% | 5.7% | 9.6% | 3.0% | 22.4% | 5.4% | 30.9% | 7.3% |
| 2 to 4 | 2.3% | 7.9% | 0.8% | 1.9% | 5.4% | 21.0% | 3.7% | 13.2% | 4.0% | 15.9% | 4.4% | 14.4% | 8.2% | 13.5% |
| 5 to 9 | 4.5% | - | 0.9% | - | 12.3% | - | 8.0% | - | 8.5% | - | 8.6% | - | 6.3% | - |
| 10 to 19 | 9.4% | 4.2% | 2.7% | 0.6% | 23.6% | 12.1% | 13.5% | 8.7% | 21.8% | 7.4% | 10.9% | 6.1% | 8.6% | 6.3% |
| 20 to 49 | 1.9% | 3.3% | 0.5% | - | 4.9% | 9.1% | 7.4% | - | 6.5% | - | 7.4% | - | 5.6% | - |
| 50 or more | 10.3% | 3.6% | 3.8% | 1.0% | 24.3% | 9.3% | 20.4% | 7.5% | 19.1% | 5.8% | 21.1% | 7.0% | 26.3% | 8.3% |
| Manufactured /mobile home or trailer | 1.0% | 6.3% | 1.0% | 7.2% | 1.0% | 4.3% | <0.1% | 6.2% | <0.1% | 5.4% | 1.9% | 10.1% | <0.1% | 1.3% |
| Year Structure Built | | | | | | | | | | | | | | |
| Post-2000 | 10.4% | - | 12.0% | - | 7.1% | - | <0.1% | 3.9% | 1.1% | 3.8% | 5.5% | - | 1.6% | 5.6% |
| Post-1980 | 42.1% | - | 47.4% | - | 30.7% | - | 19.3% | - | 27.4% | 20.0% | 33.6% | 26.6% | 10.6% | 23.0% |
| Pre-1980 | 57.9% | - | 52.6% | - | 69.3% | - | 80.7% | - | 72.6% | - | 66.4% | - | 89.4% | - |
| Pre-1960 | 27.1% | - | 25.4% | 30.5% | 30.6% | - | 51.5% | - | 52.2% | - | 35.4% | - | 73.3% | 45.5% |
| Pre-1940 | 9.8% | 15.6% | 9.8% | 13.6% | 9.6% | 19.9% | 4.0% | 27.8% | 25.8% | - | 16.6% | - | 43.5% | 24.6% |

*** = National Statistic only reported if Metropolitan Statistical Area (MSA) is >=20%(relative) and 0.25% (absolute) different from National.
See www.healthyhometraining.org/ahs/ for more info.**

**American Housing Survey - Selected Elements Related to Healthy Homes
2007 Washington, DC-MD-VA and 2007 National ***

2

| Characteristic | Occupied | | Owner Occupied | | Rental | | Severe Problems | | Moderate Problems | | Below Poverty | | Central City | |
|---|----------|----------|----------------|----------|--------|----------|-----------------|----------|-------------------|----------|---------------|----------|--------------|----------|
| | MSA | National | MSA | National | MSA | National | MSA | National | MSA | National | MSA | National | MSA | National |
| Foundation (for 1-unit not manufactured) | | | | | | | | | | | | | | |
| 1-Unit not manufactured(,000) | 1,376 | 77,517 | 1,199 | 66,554 | 177 | 10,963 | 13 | 887 | 19 | 1,916 | 63 | 6,602 | 111 | 17,830 |
| With a basement under all of house | 60.0% | 33.1% | 62.6% | 34.6% | 41.9% | 24.1% | 34.4% | - | 86.1% | 15.8% | 51.1% | 26.9% | 65.7% | 32.8% |
| With a basement under part of house | 14.1% | 10.7% | 14.7% | 11.3% | 10.4% | 7.1% | 28.6% | 10.7% | 5.0% | 10.4% | 4.3% | 8.1% | 11.6% | 8.1% |
| With a crawl space | 8.9% | 23.3% | 8.8% | 22.5% | 9.9% | 28.8% | 21.2% | 30.9% | 4.5% | 48.5% | 7.1% | 29.7% | 4.8% | 22.0% |
| On a concrete slab | 15.4% | 31.5% | 12.7% | 30.4% | 33.6% | - | 15.8% | 24.2% | 4.4% | 20.6% | 35.9% | - | 16.1% | 35.9% |
| In some other way | 1.6% | - | 1.2% | - | 4.2% | 2.0% | <0.1% | 3.0% | <0.1% | 4.7% | 1.6% | 2.7% | 1.9% | 1.2% |
| <hr/> | | | | | | | | | | | | | | |
| EXTERIOR | | | | | | | | | | | | | | |
| External Building Conditions | | | | | | | | | | | | | | |
| Sagging roof | 2.0% | - | 2.1% | - | 1.0% | 4.5% | 9.0% | - | 9.5% | 14.2% | 1.7% | 5.0% | 1.0% | 2.7% |
| Missing roofing material | 6.1% | 4.7% | 6.0% | 4.4% | 6.9% | - | 16.3% | 11.3% | 4.6% | 15.9% | 4.9% | 7.7% | 4.6% | - |
| Hole in roof | 1.1% | 1.6% | 1.1% | - | 0.5% | 3.4% | <0.1% | 10.9% | 5.1% | 12.5% | <0.1% | 3.4% | 1.8% | - |
| Missing bricks, siding, other outside wall material | 2.2% | - | 2.3% | - | 1.4% | 5.2% | 8.4% | 12.9% | 13.8% | - | 2.8% | 5.6% | <0.1% | 3.0% |
| Sloping outside walls | 1.1% | 1.4% | 0.9% | - | 2.1% | 3.6% | <0.1% | 8.5% | <0.1% | 9.0% | <0.1% | 3.1% | 1.0% | 1.7% |
| Boarded up windows | 0.3% | 1.0% | 0.4% | 0.8% | <0.1% | 2.2% | 6.8% | - | <0.1% | 5.7% | <0.1% | 3.1% | <0.1% | 1.5% |
| Broken windows | 2.1% | 3.6% | 2.2% | 2.9% | 1.6% | 7.5% | 6.8% | 15.5% | 19.3% | 15.4% | 1.1% | 7.8% | 2.6% | 4.3% |
| Bars on windows | 7.5% | 3.7% | 7.3% | 3.5% | 8.8% | 5.0% | <0.1% | 6.4% | 36.1% | 9.1% | 20.4% | 6.5% | 48.8% | 10.2% |
| Foundation crumbling or has open crack or hole | 1.1% | 2.6% | 0.9% | 2.2% | 2.3% | 4.9% | <0.1% | 8.7% | <0.1% | 12.8% | 3.5% | 4.2% | 1.8% | 3.4% |
| None of the above | 57.6% | - | 73.7% | - | 23.0% | - | 33.5% | - | 18.3% | 28.6% | 32.2% | 40.9% | 20.1% | 43.6% |

*** = National Statistic only reported if Metropolitan Statistical Area (MSA) is >=20%(relative) and 0.25% (absolute) different from National.
See www.healthyhomestraining.org/ahs/ for more info.**

**American Housing Survey - Selected Elements Related to Healthy Homes
2007 Washington, DC-MD-VA and 2007 National ***

3

| Characteristic | Occupied | | Owner Occupied | | Rental | | Severe Problems | | Moderate Problems | | Below Poverty | | Central City | |
|--------------------------------------|----------|----------|----------------|----------|--------|----------|-----------------|----------|-------------------|----------|---------------|----------|--------------|----------|
| | MSA | National | MSA | National | MSA | National | MSA | National | MSA | National | MSA | National | MSA | National |
| Water Leakage During Last 12 Months | | | | | | | | | | | | | | |
| With leakage from outside structure | 10.7% | - | 12.2% | - | 7.4% | 9.2% | 11.5% | 19.0% | 41.3% | 28.1% | 8.7% | - | 11.1% | - |
| Roof | 4.1% | - | 4.3% | - | 3.7% | 4.6% | 7.9% | 11.8% | 21.6% | - | 4.3% | 5.4% | 6.5% | 5.1% |
| Basement leak | 4.0% | - | 5.2% | - | 1.3% | 1.9% | 3.5% | 4.4% | 17.4% | 7.3% | 1.5% | 2.3% | 2.2% | 3.6% |
| Walls, closed windows, or doors leak | 2.6% | 1.8% | 3.1% | 1.5% | 1.8% | 2.5% | 4.3% | 6.2% | 17.3% | 7.4% | 2.3% | - | 2.2% | - |
| Other or Unknown exterior Leak | 1.7% | 1.1% | 2.0% | 1.1% | 1.1% | - | <0.1% | 1.9% | 9.8% | 3.3% | 1.4% | - | 2.7% | 1.4% |
| <hr/> | | | | | | | | | | | | | | |
| INTERIOR | | | | | | | | | | | | | | |
| Damage | | | | | | | | | | | | | | |
| Holes in floors | 0.6% | 1.0% | 0.6% | - | 0.7% | 1.7% | 3.5% | 8.7% | 12.2% | 9.7% | <0.1% | 2.7% | 1.3% | - |
| Open cracks or holes | 4.5% | - | 4.3% | - | 5.0% | 7.2% | 18.4% | - | 40.9% | 31.3% | 4.8% | 8.0% | 7.6% | - |
| Broken plaster or peeling paint | 2.9% | 2.0% | 2.3% | 1.4% | 4.2% | 3.2% | 14.5% | 10.4% | 34.7% | 19.3% | 3.5% | - | 7.5% | 3.1% |
| <hr/> | | | | | | | | | | | | | | |
| Water Leakage During Last 12 Months | | | | | | | | | | | | | | |
| With leakage from inside structure | 11.5% | 8.0% | 10.9% | 6.7% | 12.8% | - | 20.6% | - | 42.2% | 25.5% | 8.6% | - | 12.0% | 9.1% |
| Fixtures backed up or overflowed | 3.0% | 2.2% | 2.9% | 1.8% | 3.3% | - | 8.4% | 5.1% | 18.4% | 8.9% | 1.5% | 3.0% | 5.2% | 2.6% |
| Pipes leaked | 5.2% | 3.6% | 4.8% | 2.9% | 6.2% | - | 8.0% | 10.0% | 28.3% | 13.4% | 3.7% | 5.0% | 4.9% | - |
| Broken water heater | 0.5% | 0.8% | 0.5% | 0.8% | 0.6% | 0.9% | <0.1% | 1.3% | <0.1% | 2.4% | <0.1% | 0.8% | <0.1% | 0.7% |
| Other or Unknown | 4.1% | 2.1% | 3.7% | 1.7% | 4.9% | 3.0% | 7.5% | 5.0% | 18.4% | 8.3% | 4.9% | 2.5% | 4.5% | 2.7% |

*** = National Statistic only reported if Metropolitan Statistical Area (MSA) is >=20%(relative) and 0.25% (absolute) different from National.
See www.healthyhomestraining.org/ahs/ for more info.**

**American Housing Survey - Selected Elements Related to Healthy Homes
2007 Washington, DC-MD-VA and 2007 National ***

4

| Characteristic | Occupied | | Owner Occupied | | Rental | | Severe Problems | | Moderate Problems | | Below Poverty | | Central City | |
|--|----------|----------|----------------|----------|--------|----------|-----------------|----------|-------------------|----------|---------------|----------|--------------|----------|
| | MSA | National | MSA | National | MSA | National | MSA | National | MSA | National | MSA | National | MSA | National |
| Rodents | | | | | | | | | | | | | | |
| Signs of rats in last 3 mon. | 0.5% | - | 0.3% | - | 0.9% | - | 4.1% | 5.4% | 13.3% | 3.7% | <0.1% | 1.6% | 2.1% | 1.2% |
| Signs of mice in last 3 mon. | 6.4% | - | 6.0% | - | 7.4% | - | 17.9% | 12.8% | 18.7% | 12.5% | 10.0% | - | 15.9% | 5.6% |
| Signs of rodents, not sure which kind in last 3 mon. | 0.3% | - | 0.1% | - | 0.6% | - | <0.1% | 3.0% | <0.1% | 1.5% | <0.1% | 0.7% | 0.5% | - |
| Electrical | | | | | | | | | | | | | | |
| No electrical wiring | <0.1% | - | <0.1% | 0.1% | <0.1% | - | <0.1% | 2.4% | <0.1% | 0.0% | <0.1% | 0.1% | <0.1% | - |
| Exposed wiring | 1.0% | - | 0.9% | - | 1.1% | 1.4% | 3.1% | - | <0.1% | 1.9% | 1.5% | - | 0.8% | 1.2% |
| Rooms without electric outlets | 1.3% | - | 0.9% | - | 2.0% | - | 6.8% | - | <0.1% | 3.1% | 2.2% | - | 1.6% | - |
| Fuses/breakers blown in last 3 mon. | 12.4% | 9.2% | 13.8% | 9.2% | 9.4% | - | 9.8% | 15.1% | 15.4% | - | 8.7% | - | 9.1% | - |
| Sanitation | | | | | | | | | | | | | | |
| Lacking complete kitchen facilities | 1.1% | 1.6% | 0.3% | - | 2.7% | 4.1% | <0.1% | 8.9% | 46.1% | - | 1.1% | 3.6% | 2.5% | - |
| Lacking some or all plumbing facilities | 0.8% | 1.1% | 0.6% | - | 1.2% | 2.0% | 56.7% | 69.7% | <0.1% | 0.0% | 0.7% | 2.4% | 1.2% | 1.7% |
| Water not safe to drink | 10.6% | 8.1% | 8.5% | 6.5% | 15.2% | 11.6% | 30.1% | 15.0% | 19.7% | 13.8% | 15.0% | 11.5% | 28.7% | 10.0% |
| Water stoppage in last 3 mon. | 4.3% | 3.4% | 3.2% | - | 6.7% | 4.7% | 7.7% | - | <0.1% | 6.3% | 5.9% | 3.9% | 5.0% | 3.4% |
| No flush toilets working some time in last 3 mon. | 1.5% | 2.0% | 1.0% | - | 2.6% | 3.9% | 7.1% | - | 14.6% | 9.9% | 2.3% | 4.1% | 2.1% | 2.6% |
| With sewage disposal breakdowns in last 3 mon. | 0.7% | 1.3% | 0.8% | 1.1% | 0.3% | 1.7% | 3.1% | 3.9% | 6.2% | 3.9% | 0.7% | 1.7% | 0.4% | 1.5% |
| Septic tank, cesspool, chemical toilet | 9.3% | 20.0% | 12.4% | 25.8% | 2.5% | 7.6% | 3.2% | 15.1% | 1.5% | 17.6% | 5.9% | 14.7% | 0.4% | 1.2% |
| With septic tank or cesspool breakdowns in last 3 mon. | <0.1% | 0.3% | 0.1% | 0.3% | <0.1% | 0.2% | <0.1% | 1.3% | <0.1% | 0.3% | <0.1% | 0.3% | <0.1% | - |

*** = National Statistic only reported if Metropolitan Statistical Area (MSA) is >=20%(relative) and 0.25% (absolute) different from National.
See www.healthyhometraining.org/ahs/ for more info.**

**American Housing Survey - Selected Elements Related to Healthy Homes
2007 Washington, DC-MD-VA and 2007 National ***

5

| Characteristic | Occupied | | Owner Occupied | | Rental | | Severe Problems | | Moderate Problems | | Below Poverty | | Central City | |
|--|----------|----------|----------------|----------|--------|----------|-----------------|----------|-------------------|----------|---------------|----------|--------------|----------|
| | MSA | National | MSA | National | MSA | National | MSA | National | MSA | National | MSA | National | MSA | National |
| HEATING/FUEL | | | | | | | | | | | | | | |
| Main Heating Equipment | | | | | | | | | | | | | | |
| Warm-air furnace | 66.8% | - | 69.3% | - | 61.7% | - | 62.2% | 44.3% | 57.1% | 39.7% | 61.7% | - | 49.1% | 60.5% |
| Steam or hot water system | 9.6% | - | 8.1% | 9.9% | 12.8% | - | 22.0% | - | 21.7% | 11.2% | 13.1% | - | 32.7% | 16.5% |
| Electric heat pump | 19.2% | 11.7% | 19.4% | 12.6% | 18.6% | 9.8% | 12.2% | 7.3% | 12.7% | 4.5% | 18.0% | 8.5% | 13.0% | 8.5% |
| Built-in electric units | 1.9% | 4.3% | 1.7% | 2.8% | 2.3% | 7.6% | <0.1% | 5.2% | <0.1% | 5.1% | 2.0% | 6.4% | 1.6% | 3.8% |
| Floor, wall, or other built-in hot air without ducts | 1.5% | 4.5% | 0.8% | 2.7% | 2.9% | 8.4% | 3.6% | 7.8% | 4.4% | - | 1.6% | 6.7% | 2.5% | 6.4% |
| Room heaters with flue | 0.2% | 1.0% | 0.1% | 0.9% | 0.3% | 1.3% | <0.1% | 2.0% | <0.1% | 1.4% | 0.6% | 1.9% | 0.3% | 0.7% |
| Room heaters without flue | 0.1% | 1.1% | <0.1% | 1.0% | 0.2% | 1.3% | <0.1% | 2.8% | 2.3% | 28.7% | <0.1% | 2.5% | <0.1% | 0.9% |
| Portable electric heaters | 0.2% | 0.9% | 0.2% | 0.6% | 0.4% | 1.7% | <0.1% | 3.6% | <0.1% | 2.6% | <0.1% | 1.8% | 0.8% | 1.3% |
| Stoves | 0.1% | 0.9% | 0.2% | 1.0% | <0.1% | 0.4% | <0.1% | 3.3% | <0.1% | 0.7% | 0.7% | 1.1% | <0.1% | <0.1% |
| Fireplace with inserts | <0.1% | 0.1% | <0.1% | 0.2% | <0.1% | 0.1% | <0.1% | 0.1% | <0.1% | 0.1% | <0.1% | 0.1% | <0.1% | 0.1% |
| Fireplace without inserts | <0.1% | - | <0.1% | 0.1% | <0.1% | - | <0.1% | 0.2% | <0.1% | 0.1% | <0.1% | - | <0.1% | - |
| Other | 0.1% | 0.4% | 0.1% | 0.4% | 0.1% | 0.5% | <0.1% | 0.4% | <0.1% | 0.4% | 0.6% | 0.9% | <0.1% | 0.5% |
| No heating equipment | 0.1% | 0.4% | <0.1% | 0.3% | 0.4% | - | <0.1% | 0.5% | 1.9% | 0.6% | 0.6% | - | <0.1% | 0.7% |
| Cooking stove | 0.1% | - | <0.1% | <0.1% | 0.2% | - | <0.1% | 0.6% | <0.1% | 0.1% | 1.0% | 0.2% | <0.1% | 0.2% |
| Water Heating Fuel | | | | | | | | | | | | | | |
| Electricity | 44.0% | - | 42.1% | - | 48.0% | - | 39.1% | - | 36.0% | - | 48.8% | - | 30.9% | - |
| Gas, LP/bottled gas | 54.0% | - | 55.7% | - | 50.4% | - | 60.9% | - | 61.5% | - | 48.8% | - | 67.5% | - |
| Fuel oil | 1.7% | 4.5% | 1.9% | 4.2% | 1.1% | 5.2% | <0.1% | 9.3% | 2.5% | 4.2% | 1.7% | 4.5% | 1.5% | 5.7% |
| Kerosene or other liquid fuel | <0.1% | - | <0.1% | - | <0.1% | - | <0.1% | 0.2% | <0.1% | 0.1% | <0.1% | <0.1% | <0.1% | - |
| Other | 0.3% | - | 0.2% | - | 0.5% | 0.1% | <0.1% | 0.9% | <0.1% | 0.1% | 0.7% | 0.1% | <0.1% | 0.2% |

*** = National Statistic only reported if Metropolitan Statistical Area (MSA) is >=20%(relative) and 0.25% (absolute) different from National.
See www.healthyhomestraining.org/ahs/ for more info.**

**American Housing Survey - Selected Elements Related to Healthy Homes
2007 Washington, DC-MD-VA and 2007 National ***

6

| Characteristic | Occupied | | Owner Occupied | | Rental | | Severe Problems | | Moderate Problems | | Below Poverty | | Central City | |
|---|----------|----------|----------------|----------|--------|----------|-----------------|----------|-------------------|----------|---------------|----------|--------------|----------|
| | MSA | National | MSA | National | MSA | National | MSA | National | MSA | National | MSA | National | MSA | National |
| Clothes Dryer(,000) | 1,529 | 88,506 | 1,254 | 71,443 | 275 | 17,063 | 12 | 912 | 28 | 2,265 | 75 | 8,133 | 120 | 20,153 |
| Have Clothes Dryer | 78.4% | - | 94.3% | - | 44.4% | - | 43.0% | - | 59.4% | - | 54.2% | - | 48.4% | 64.1% |
| Electricity | 88.6% | - | 87.8% | - | 92.2% | - | 92.5% | - | 89.7% | - | 89.8% | - | 83.1% | - |
| Gas, LP gas (liquid propane) | 11.4% | 22.8% | 12.1% | 24.9% | 7.8% | 14.1% | 7.5% | 24.1% | 10.3% | 15.7% | 10.2% | 16.6% | 16.9% | 26.6% |
| Other | 0.1% | - | 0.1% | - | <0.1% | 0.1% | <0.1% | 0.3% | <0.1% | <0.1% | <0.1% | <0.1% | <0.1% | <0.1% |
| <hr/> | | | | | | | | | | | | | | |
| Heating Problems | | | | | | | | | | | | | | |
| Uncomfortably cold for 24 hours or more last winter | 9.4% | - | 9.3% | - | 9.8% | - | 48.4% | - | 13.9% | 18.9% | 14.2% | - | 12.0% | 9.5% |
| Heating equipment breakdowns | 2.9% | - | 2.5% | 2.0% | 3.7% | - | 43.3% | 29.6% | 6.2% | 3.5% | 4.5% | - | 4.2% | 3.1% |
| Other causes | 6.1% | - | 6.6% | - | 4.9% | 7.0% | 7.7% | 11.4% | 6.4% | 13.9% | 8.6% | - | 7.5% | 5.8% |
| Utility interruption | 2.4% | - | 3.3% | - | 0.6% | 1.7% | 3.9% | 2.3% | 2.1% | - | 1.5% | 1.9% | 0.4% | 1.3% |
| Inadequate heating capacity | 1.2% | - | 0.7% | - | 2.1% | - | <0.1% | 4.5% | 2.4% | 4.1% | 3.1% | 2.0% | 3.9% | 1.6% |
| Inadequate insulation | 0.9% | - | 0.6% | - | 1.5% | - | <0.1% | 2.7% | <0.1% | 3.8% | <0.1% | 2.0% | 1.8% | 1.1% |
| Cost of heating | 0.9% | - | 1.1% | - | 0.5% | 0.8% | 4.1% | 1.4% | <0.1% | 2.8% | 2.5% | 1.6% | 0.4% | 1.0% |
| Other | 1.6% | - | 1.6% | 1.1% | 1.5% | 1.9% | 4.1% | - | 2.2% | 3.7% | 2.8% | - | 3.1% | 1.3% |
| <hr/> | | | | | | | | | | | | | | |
| SELECTED PHYSICAL PROBLEMS | | | | | | | | | | | | | | |
| Severe Physical Problems(,000) | 27 | 1,806 | 16 | 729 | 11 | 1,077 | 27 | 1,806 | . | . | 3 | 469 | 5 | 755 |
| Severe physical problems | 1.4% | - | 1.2% | - | 1.8% | 3.1% | 100% | - | . | . | 2.2% | 3.3% | 2.1% | - |
| Plumbing | 0.8% | 1.1% | 0.6% | - | 1.2% | 2.0% | 56.7% | 69.7% | . | . | 0.7% | 2.3% | 1.2% | 1.7% |
| Heating | 0.6% | - | 0.6% | 0.2% | 0.7% | - | 43.3% | 25.6% | . | . | 1.5% | 0.8% | 0.9% | 0.6% |
| Electric | <0.1% | - | <0.1% | 0.1% | <0.1% | - | <0.1% | 2.7% | . | . | <0.1% | 0.1% | <0.1% | - |

*** = National Statistic only reported if Metropolitan Statistical Area (MSA) is >=20%(relative) and 0.25% (absolute) different from National.
See www.healthyhometraining.org/ahs/ for more info.**

**American Housing Survey - Selected Elements Related to Healthy Homes
2007 Washington, DC-MD-VA and 2007 National ***

7

| Characteristic | Occupied | | Owner Occupied | | Rental | | Severe Problems | | Moderate Problems | | Below Poverty | | Central City | |
|----------------------------------|----------|----------|----------------|----------|--------|----------|-----------------|----------|-------------------|----------|---------------|----------|--------------|----------|
| | MSA | National | MSA | National | MSA | National | MSA | National | MSA | National | MSA | National | MSA | National |
| Hallways | <0.1% | 0.0% | <0.1% | 0.0% | <0.1% | 0.0% | <0.1% | 0.0% | . | . | <0.1% | 0.0% | <0.1% | 0.0% |
| Upkeep | <0.1% | 0.1% | <0.1% | - | <0.1% | 0.2% | <0.1% | 4.3% | . | . | <0.1% | 0.3% | <0.1% | 0.1% |
| Moderate Physical Problems(,000) | 47 | 3,965 | 22 | 1,565 | 25 | 2,401 | . | . | 47 | 3,965 | 4 | 1,081 | 14 | 1,549 |
| Moderate physical problems | 2.4% | 3.6% | 1.6% | 2.1% | 4.1% | 6.9% | . | . | 100% | - | 3.1% | 7.6% | 5.8% | - |
| Plumbing | 0.1% | - | 0.2% | - | <0.1% | 0.3% | . | . | 6.2% | 4.7% | 0.7% | 0.3% | <0.1% | 0.2% |
| Heating | 0.1% | 1.0% | <0.1% | 1.0% | 0.2% | 1.2% | . | . | 2.3% | 28.7% | <0.1% | 2.3% | <0.1% | 0.8% |
| Upkeep | 1.1% | 1.4% | 0.3% | - | 2.7% | 3.7% | . | . | 46.1% | - | 1.1% | 3.0% | 2.5% | - |
| Hallways | <0.1% | 0.0% | <0.1% | 0.0% | <0.1% | 0.0% | . | . | <0.1% | 0.0% | <0.1% | 0.0% | <0.1% | 0.0% |
| Kitchen | 1.2% | - | 1.1% | 0.7% | 1.3% | 1.9% | . | . | 49.5% | 30.4% | 1.3% | 2.3% | 3.3% | 1.5% |
| OVERALL OPINION OF STRUCTURE | | | | | | | | | | | | | | |
| 1(worst) | 0.4% | - | 0.1% | - | 0.9% | 1.2% | 4.4% | - | 2.1% | 2.7% | <0.1% | 1.7% | 1.4% | 0.8% |
| 2 | 0.4% | - | 0.4% | - | 0.5% | - | <0.1% | 2.0% | <0.1% | 1.5% | <0.1% | 0.5% | 1.2% | 0.4% |
| 3 | 0.7% | - | 0.6% | 0.3% | 0.8% | 1.4% | 6.5% | 3.6% | <0.1% | 3.3% | <0.1% | 1.5% | 0.4% | 1.0% |
| 4 | 1.0% | - | 0.6% | - | 1.8% | - | 3.2% | - | <0.1% | 4.0% | 0.8% | 2.0% | 1.3% | - |
| 5 | 4.1% | 5.0% | 2.6% | 3.2% | 7.5% | - | <0.1% | 11.2% | 6.9% | 12.5% | 7.6% | 9.4% | 6.3% | - |
| 6 | 5.1% | - | 3.4% | - | 8.6% | - | 10.5% | 8.4% | 11.1% | - | 6.9% | - | 6.2% | - |
| 7 | 13.5% | - | 11.0% | - | 18.7% | - | 32.2% | 13.8% | 18.9% | - | 16.2% | - | 12.0% | 16.5% |
| 8 | 27.7% | - | 27.0% | - | 29.2% | - | 14.1% | 25.6% | 27.6% | - | 27.5% | - | 32.2% | - |
| 9 | 19.2% | - | 20.7% | - | 15.9% | 12.6% | 8.1% | 10.8% | 15.4% | 9.6% | 10.0% | 12.2% | 16.6% | - |
| 10(best) | 27.9% | - | 33.5% | - | 16.1% | - | 21.1% | - | 18.0% | - | 31.0% | - | 22.5% | - |

* = National Statistic only reported if Metropolitan Statistical Area (MSA) is >=20%(relative) and 0.25% (absolute) different from National.
See www.healthyhometraining.org/ahs/ for more info.