Comparison of Mansfield, Ohio, Housing Code to the National Healthy Housing Standard and the International Property Maintenance Code

Prepared by Tom Neltner of the National Center for Healthy Housing (NCHH) on behalf of Healthy Housing Solutions, Inc.

Draft: March 31, 2015

Summary

The Mansfield, Ohio, housing code supplemented by state laws and regulations has the same or similar requirements to 39 of the 156 applicable mandatory provisions of the National Healthy Housing Standard (NHHS). It did not appear to have any of the 52 stretch provisions of the NHHS. Overall, we found that city code, supplemented with the state's requirements, covered 19% of both mandatory and stretch provisions of the NHHS and 25% of its mandatory provisions.

Figure 1 provides a breakdown for each of the six applicable sections of the NHHS. The city codes scored highest on the structure, facilities, plumbing, and space requirements of the NHHS with 31% of all provisions and about 50% of the mandatory ones. It had a low score of 0% for chemical radiological requirements. For your reference, we included a comparison of the NHHS to the International Property Maintenance Code (IPMC) from the International Code Council (ICC). The IPMC serves as a useful benchmark for a good housing code. While the state of Ohio has adopted other model codes from the ICC including the International Residential Code and International Existing Building Code, it has not adopted the IPMC; neither has Mansfield.

Tables 1 to 6 provide a detailed comparison for each of the six sections of the NHHS, including an additional comparison to the IPMC. The seventh section deals with the relative duties of owners and occupants. The city code had six of 10 NHHS provisions in this section. We did not include it as a table or in the figure. However, it is included in the overall numbers.

Minimum housing standards built on the latest health research, when coupled with an effective inspection and enforcement program, are essential tools to protect the health and safety of residents. Some of the low scores are due to the broad language in many of the city's code requirements. The ambiguity may have been resolved through precedent and guidance that we did not review. The scores may also be because other agencies handle those issues, such as the fire code official on safety and egress. Inspectors may know these safety-oriented codes and be making referrals.

If Mansfield is considering upgrading its housing code to better protect city residents, it should consider the provisions of the NHHS to identify opportunities. The information in Tables 1 to 6 should be the starting point for that consideration. Clarifying relative responsibilities of owners and occupants would also be helpful. The National Center for Healthy Housing is able to assist in this effort.




Figure 1: Comparison of Mansfield, Ohio, code to IPMC and NHHS

Notes:

Percentages exclude those not applicable. See Tables 1 to 6 for details.

IPMC = International Property Maintenance Code (2015 version). See http://shop.iccsafe.org.

NHHS = National Healthy Homes Standard (2014 version)

* "NHHS Stretch" includes mandatory and stretch provisions of NHHS.

Interesting provisions in Mansfield's housing code

One benefit of NCHH's evaluations is identifying innovative provisions in local codes that may be considered in future editions of the NHHS or be recommended to other communities. Therefore, NCHH identified the following provision in Manfield's code that was interesting and not found in most other codes. The level of detail on the depth of the kitchen sink makes it unusual. Any idea of its origin?

Section 1371.07

- (a) Every dwelling unit shall contain a kitchen sink which is properly connected to a water and sewer system approved by the Superintendent.
 - (1) Every dwelling unit occupied by more than one person shall contain a kitchen sink having a usable area not less than fifteen inches by eighteen inches. The depth of the sink shall be adequate to allow immersion of a reasonable number of cooking and eating utensils.
 - (2) If a wash basin smaller than that described in subsection (a)(l) hereof is present within the dwelling unit, it can be used if the dwelling unit is occupied by one person.

Background

With funding from the U.S. Department of Housing and Urban Development (HUD), Healthy Housing Solutions, Inc. (Solutions) contracted with the National Center for Healthy Housing (NCHH) to compare the housing code enforced by the Mansfield against the National Healthy Housing Standard (NHHS) and the International Property Maintenance Code. For the housing code, we used the version of the Minimum Sanitation Standards at section 1371.07 that the city provided.

NCHH compared the combined requirements against the NHHS that was first published in 2014¹ by NCHH and the American Public Health Association (APHA) to translate the latest public health information on the impacts of housing on resident health and safety into housing code parlance. It is designed to complement the International Property Maintenance Code and other policies already in use by local and state governments and federal agencies for the upkeep of existing homes. It consists of seven sections with a total of 209 provisions, 157 of which are mandatory and 52 of which are stretch or optional provisions.

NCHH also compared the code against the International Property Maintenance Code (IPMC),² which is one in the suite of codes developed by the International Code Council (ICC) for property design, construction, and maintenance. The IPMC applies statewide in five states (Maryland, New York, Rhode Island, Virginia, and West Virginia) and the District of Columbia, as well as many local governments in 31 other states. ICC first published it in 1998 and updates it every three years; the most recent version is the 2015 edition. The IPMC consists of eight chapters, including ones for administration, definitions, and referenced standards, and has an optional appendix that addresses the boarding of windows and doors of vacant structures. The IPMC's provisions apply "to all existing residential and nonresidential structures and all existing premises and constitute minimum requirements and standards for premises, structures, equipment and facilities for light, ventilation, space, heating, sanitation, protection from the elements, a reasonable level of safety from fire and other hazards, and for a reasonable level of sanitary maintenance; the responsibility

¹ See <u>http://www.nchh.org/Policy/NationalHealthyHousingStandard.aspx</u>.

² See <u>http://shop.iccsafe.org/codes/2012-international-codes/2012-international-property-maintenance-code.html</u>.

of owners, an owner's authorized agent, operators and occupants; the occupancy of existing structures and premises, and for administration, enforcement and penalties."³

Using the NHHS and IPMC, NCHH developed three benchmarks and, for simplicity, rated them "good," "better," and "best":

- 1. IPMC requirements (good);
- 2. NHHS mandatory provisions (better); and
- 3. NHHS stretch and mandatory provisions (best).

Comparison grouped by six sections of the NHHS

The NHHS consists of 209 provisions: 157 mandatory and 52 stretch or optional that are grouped in seven sections. For purposes of our analysis, we dropped the first section dealing with relative duties of the owner and the occupant, because city code does not clearly make that distinction. Presumably, it rests with the judgment of the city.

For each of the NHHS provisions, we sought to identify requirements in the Mansfield code (as supplemented by the state laws and regulations) and determine if the code was (1) the same; (2) similar; (3) not the same or similar; or (4) not applicable (usually because it applied to the responsibilities of the owner and occupant and not the condition of the property). Because the IPMC is a good housing quality code, we also included a comparison of the NHHS provisions to it. The following six tables summarize the results for the IPMC and Mansfield code for each of the six NHHS sections. We did not identify provisions in the local code not contained in the NHHS.

³ IPMC, Section 101.2.

Table 1: Comparison of Structure, Facilities, Plumbing, and Space Provisions		
NHHS	IPMC	Mansfield, Ohio
Summary - 32 mandatory - 19 stretch	35% same or similar- 18 of 32 mandatory- 0 of 19 stretch.	31% same or similar (0 NA) - 16 of 32 applicable mandatory - 0 of 19 applicable stretch
Structure - 1 mandatory - 0 stretch	1 of 1 applicable mandatory same or similar.	1 of 1 applicable mandatory same or similar.
Facilities - 2 mandatory - 0 stretch	 1 of 2 applicable mandatory same or similar. Does not require: Water heaters other than gas-type to be isolated from habitable rooms and, in multifamily housing, behind a locked door. 	 1 of 2 applicable mandatory same or similar. Does not require: Water heaters other than gas-type to be isolated from habitable rooms and, in multifamily housing, behind a locked door.
Plumbing systems - 5 mandatory - 5 stretch	 4 of 5 applicable mandatory same or similar mandatory. Does not require: Maximum water temperature at shower or bathtub or that tank's relief valve discharge to drip pan, tank, or outside. Any of the stretch provisions. 	 2 of 5 applicable mandatory same or similar. Does not require: Maximum water temperature of 120° F at shower or bathtub or that tank's relief valve discharge to drip pan, tank, or outside. Approved potable water supply providing adequate flow to all fixtures simultaneously. Faucet discharge above overflow rim. Any of the stretch provisions.
Kitchen - 9 mandatory - 5 stretch	 3 of 9 applicable mandatory same or similar. Does not require: Cabinets or countertops. Oven for cooking. Exhaust ventilation for range. Refrigerator with a freezer. Floor that is sealed, water-resistant, nonabsorbent, and cleanable. Connections for a refrigeration if one is not provided. Any of the stretch provisions. 	 2 of 9 applicable mandatory same or similar. Does not require: Cabinets or countertops. Range for cooking food Oven other than a microwave. Exhaust ventilation for range. Refrigerator with a freezer. Connections for a refrigeration if one is not provided. Floor that is sealed, water-resistant, nonabsorbent, and cleanable. Any of the stretch provisions.
Bathroom - 6 mandatory - 2 stretch	 5 of 6 applicable mandatory same or similar. Does not require: Sink. Either stretch provision. 	 5 of 6 applicable mandatory same or similar. Does not require: Floor that is sealed, water-resistant, nonabsorbent, and cleanable. Either stretch provision.

Minimum space - 7 mandatory - 0 stretch	 4 of 7 applicable mandatory same or similar. Does not require: Access to a habitable room other than through a bathroom. Closet or storage space for clothing and personal belongings. Waterproof and dampness-free below-grade habitable rooms. 	 5 of 7 applicable mandatory same or similar. Does not require: Minimum of 70 square feet in each habitable room. Closet or storage space for clothing and personal belongings.
Floors and floor covering - 1 mandatory - 2 stretch	 0 of 1 applicable mandatory same or similar. Does not require: Attachment of floor coverings at each threshold with floors capable of being cleaned and free of bulges and buckling and carpets free of tears, folds, or bumps. Either stretch provision. 	 0 of 1 applicable mandatory same or similar. Does not require: Attachment of floor coverings at each threshold with floors capable of being cleaned and free of bulges and buckling and carpets free of tears, folds, or bumps. Either stretch provision.
Noise - 1 mandatory - 5 stretch	 0 of 1 applicable mandatory same or similar. Does not require: Noise level from exterior sources to be less than 45 dB day-night equivalent sound level. Any of the stretch provisions. 	 0 of 1 applicable mandatory same or similar. Does not require: Noise level from exterior sources to be less than 45 dB day-night equivalent sound level. Any of the stretch provisions.

Table 2: Comparison of Safety and Personal Security Provisions		
NHHS	IPMC	Mansfield, Ohio
Summary - 34 mandatory - 11 stretch	36% same or similar - 14 of 34 mandatory - 2 of 11 stretch	 11% same or similar (0 NA) 5 of 34 applicable mandatory 0 of 11 applicable stretch
Egress - 7 mandatory - 0 stretch	 2 of 7 applicable mandatory same or similar. Does not require: Two means of emergency escape or rescue. Openable bedroom window for emergency escape below fourth floor. Adequate emergency exit for below-grade bedroom (including two provisions describing dimension). 	 4 of 7 applicable mandatory same or similar. Does not require: Adequate emergency exit for below-grade bedroom (including three provisions describing dimension).
Locks/ Security - 5 mandatory - 0 stretch	 3 of 5 applicable mandatory same or similar. Does not require: Change of locks at change of tenants. Self-closing exterior door that can be opened from inside without lock or tool. 	 0 of 5 applicable mandatory same or similar. Does not require: Change of locks at change of tenants. Self-closing exterior door that can be opened from inside without lock or tool. Unit entry doors with dead bolt openable from inside without key and has viewing device. Lock on windows capable of being opened that could be used for entry. Locks on windows and doors for egress.
Smoke alarm - 4 mandatory - 4 stretch	 3 of 4 applicable mandatory same or similar. Does not require: Visual notification for hearing-impaired occupants. Three of four stretch provisions. 	 0 of 4 applicable mandatory same or similar. Does not require: Smoke alarm outside each sleeping area in homes other than private one- and two-family homes that have not been sold. In multifamily housing, alarms in basement, heating system rooms, and storage rooms. Battery backup or long-lasting batteries. Alternative visual notification for hearing-impaired occupants. Any of the stretch provisions.
Fire extinguisher - 3 mandatory - 1 stretch	 0 of 3 applicable mandatory same or similar. Silent on fire extinguishers. Does not require: Readily accessible Class ABC fire extinguisher in or near kitchen. One 10-pound extinguisher near kitchen. In multifamily housing, fire extinguishers in common areas on each floor. 	 0 of 3 applicable mandatory same or similar. Does not require: Readily accessible Class ABC fire extinguisher in or near kitchen in other than apartment houses. One 10-pound extinguisher near kitchen. In multifamily housing, fire extinguishers in common areas on each floor.
Carbon monoxide alarm - 3 mandatory - 4 stretch	 0 of 3 applicable mandatory same or similar. Silent on carbon monoxide alarms. Does not require: Functioning alarm on each habitable floor and near every bedroom. 	 0 of 3 applicable mandatory same or similar. Does not require: Smoke alarm outside each sleeping area in homes other than private one- and two-family homes that have not been sold. Battery backup if hardwired or long-lasting batteries if not hardwired. Visual notification for hearing-impaired occupants.

Comparison of Mansfield, Ohio Housing Code to NHHS and IPMC 7 | P a g e

Walking surfaces - 3 mandatory - 2 stretch	 Battery backup if hardwired or long-lasting batteries if not hardwired. Visual notification for hearing-impaired occupants. 2 of 3 applicable mandatory same or similar. Does not require: Nonskid surfaces on exterior stairway steps. Either of two stretch provisions. 	 of 3 applicable mandatory same or similar. Does not require: Nonskid surfaces on exterior stairway steps. Handrail between 34" and 38" high on stairs. Either of two stretch provisions.
Guard - 3 mandatory - 0 stretch	 of 3 applicable mandatory same or similar. Does not require: Fall prevention device on windows used for emergency exit. 	 0 of 3 applicable mandatory same or similar. Does not require: Guards for 30" drops. Fall prevention device on windows that are more than 72" above exterior grade and more than 36" above interior floor. Nonskid surfaces on treads of exterior stairs.
Chemical storage - 2 mandatory - 0 stretch	 0 of 2 applicable mandatory same or similar. Silent on chemical storage. Does not require: Storage space for medicine and household chemicals so as not to be readily accessible to children. Flammable and combustible liquids stored away from habitable spaces and ventilation system. 	 0 of 2 applicable mandatory same or similar. Does not require: Storage space for medicine and household chemicals so as not to be readily accessible to children. Flammable and combustible liquids stored away from habitable spaces and ventilation system.
Pools, hot tubs, and other water features - 4 mandatory - 0 stretch	 2 of 4 applicable mandatory same or similar. Does not require: Anti-entrapment devices on suction outlets. Pool drains and drain covers clearly visible with second anti-entrapment device on blockable single drain. 	 0 of 4 applicable mandatory same or similar. Does not require: Anti-entrapment devices on suction outlets. Pool drains and drain covers to be clearly visible with second anti- entrapment device on blockable single drain. Fence around pool if over 24" deep. Luminaries with GFCI protection.

Table 3: Comparison of Lighting and Electrical Systems Provisions		
NHHS	IPMC	Mansfield, Ohio
Summary	45% same or similar	20% same or similar (0 NA)
- 13 mandatory	- 9 of 13 mandatory	- 4 of 13 applicable mandatory
- 7 stretch	- 0 of 7 of stretch	- 0 of 7 applicable stretch
Electrical	2 of 3 applicable mandatory same or similar. Does not	0 of 3 applicable mandatory same or similar. Does not require:
system	require:	• Electricity if power line is more than 300' away.
- 3 mandatory	• Separate service for each unit.	• Separate service for each unit.
- 1 stretch	One stretch provision.	• Ban on temporary wiring as permanent wiring.
		One stretch provision.
Outlets	1 of 3 applicable mandatory same or similar. Does not	0 of 3 applicable mandatory same or similar. Does not require:
- 3 mandatory	require:	• Two separate diplex outlets in each habitable room.
- 3 stretch	• GFCI in bathroom unless new.	• GFCI in bathroom unless new.
	• GFCI in laundry, garage, crawl spaces, unfinished	• GFCI in laundry, garage, crawl spaces, unfinished basement, and outdoors.
	basement, and outdoors.	• Any stretch provisions.
	Any stretch provisions.	5 1
Natural lighting	3 of 3 applicable mandatory same or similar.	3 of 3 applicable mandatory same or similar.
- 3 mandatory		
- 0 stretch		
Artificial	3 of 4 applicable mandatory same or similar. Does not	1 of 4 applicable mandatory same or similar. Does not require:
lighting	require:	• Switches to be located conveniently for safe use.
- 4 mandatory	• Switches to be located conveniently for safe use.	• Adequately illuminated public area, exterior entry door and stairway (2
- 3 stretch	Any stretch provisions.	provisions).
		Any stretch provisions.

Table 4: Compa	Table 4: Comparison of Thermal Comfort, Ventilation, and Energy Efficiency Provisions		
NHHS	IPMC	Mansfield, Ohio	
Summary - 23 mandatory - 6 stretch Heating, ventilation, and air conditioning - 1 mandatory - 0 stretch Heating system - 7 mandatory - 4 stretch	 24% same or similar 7 of 23 mandatory 0 of 6 stretch 1 of 1 applicable mandatory same or similar but does not set 48-hour deadline to repair or find alternative safe supply. 3 of 7 applicable mandatory same or similar. Does not require: In rentals, set 78° F maximum temperature during heating season. For forced air heat, set standards for filter or require 	 14% same or similar (0 NA) 4 of 23 applicable mandatory 0 of 6 applicable stretch 1 of 1 applicable mandatory same or similar but does not set 48-hour deadline to repair or find alternative safe supply. 2 of 7 applicable mandatory same or similar. Does not require: For forced air heat, set standards for filter or require annual replacement. For steam or hot water heating systems, protective covers on hot surfaces. For wood stoves, compliance with federal standards or providing clearances or heat shields between combustibles. 	
	 annual replacement. For steam or hot water heating systems, protective covers on hot surfaces. For wood stoves, compliance with federal standards or providing clearances or heat shields between combustibles. 	 Combustion air must be vented outside considers with NFPA standards. Maximum of 78° F in rooms during heating season. Any stretch provisions. 	
Ventilation - 6 mandatory - 1 stretch	 Any stretch provisions. 2 of 6 applicable mandatory same or similar. Does not require: Capability to remove moisture-laden air. Ventilation to meet standards in ASHRAE 62.2. Rigid or semirigid metal duct for clothes dryer exhaust. Supply air for forced air system to be from other than basement. One stretch provision. 	 0 of 6 applicable mandatory same or similar. Does not require: Capability to remove moisture-laden air. Ventilation to meet standards in ASHRAE 62.2. Rigid or semirigid metal duct for clothes dryer exhaust. Supply air for forced air system to be from other than basement. Ban on discharge of gas or particulate wastes and requirement for pest-proofing screens on vent pipe. Exhaust of air from clothes dryer, bathroom, kitchen or basement to be vented outside. One stretch provision. 	

Air sealing - 9 mandatory - 1 stretch	 of 9 applicable mandatory same or similar. Silent on fire extinguishers. Does not require: Sealing openings to limit uncontrolled air movement. Pads, sweeps, or weather stripping use to minimize air leaks. Sealing openings to attached garage. Door to garage with automatic closing mechanism and weather stripping. Ban on doors or windows from garage to sleeping area. Sealed and insulated ductwork for forced air system in attached garage Ban on supply or return vents in a garage serving habitable spaces. Sealing between dwelling units in multifamily buildings. One stretch provision. 	 1 of 9 applicable mandatory same or similar. Does not require: Sealing openings to limit uncontrolled air movement. Pads, sweeps, or weather stripping use to minimize air leaks. Sealing openings to attached garage. Door to garage with automatic closing mechanism and weather stripping. Ban on doors or windows from garage to sleeping area. Sealed and insulated ductwork for forced air system in attached garage Ban on supply or return vents in a garage serving habitable spaces. Sealing between dwelling units in multifamily buildings. One stretch provision.
---	---	---

Table 5: Comparison of Moisture Control, Solid Waste, and Pest Management Provisions		
NHHS	ІРМС	Mansfield, Ohio
Summary - 24 mandatory - 5 stretch Moisture - 10 mandatory - 4 stretch	 38% same or similar 10 of 24 mandatory 1 of 5 stretch 4 of 10 applicable mandatory same or similar. Does not require: Ban on visible mold growth and persistent excessive dampness or moisture on interior and exterior surfaces. Cleanup, drying, and repair of building materials discolored or deteriorated by mold or mildew or 	 14% same or similar (0 NA) 4 of 24 applicable mandatory 0 of 5 applicable stretch 1 of 10 applicable mandatory same or similar. Does not require: Building drainage system to direct water away from structure. Exterior wood surfaces to be protected from elements and brickwork weep holes to be left open. Ban on visible mold growth and persistent excessive dampness or moisture on interior and exterior surfaces.
	 causing moldy or earthy odor. Repair and removal of moldy material consistent with published guidance. Investigation and correction of underlying cause of dampness or moldy odors. Insulation of cold plumbing and HVAC surfaces to prevent condensation. Crawl spaces to be free of high-moisture conditions or sealed from dwelling areas where the space is not sealed and insulated from outdoors. Two stretch provisions. 	 Cleanup, drying, and repair of building materials discolored or deteriorated by mold or mildew or causing moldy or earthy odor. Repair and removal of moldy material consistent with published guidance. Investigation and correction of underlying cause of dampness or moldy odors. Insulation of cold plumbing and HVAC surfaces to prevent condensation. Crawl spaces to be free of high-moisture conditions or sealed from dwelling areas where the space is not sealed and insulated from outdoors. Premises grades to prevent erosion or accumulation of water. Any stretch provisions.
Solid waste - 3 mandatory - 1 stretch	 1 of 3 applicable mandatory same or similar. Does not require: Sufficient outside storage of trash and recyclables to hold materials between collections (two provisions). One stretch provision. 	 2 of 3 applicable mandatory same or similar. Does not require: Sufficient outside storage of recyclables to hold materials between collections. One stretch provision.
Pest management - 11 mandatory - 0 stretch	 5 of 11 applicable mandatory same or similar. Does not require: Use of trained IPM-trained pest management professional in multifamily housing. Inspection for pests. Ban on accumulation of material for rodent harborage in or about dwelling and premises. Trees, shrubs, and plantings no closer than 6" from dwelling. Sealing of holes and joints with low-VOC caulk or closed-cell insulation. Ban on foggers and organophosphates. 	 of 11 applicable mandatory same or similar. Does not require: Use of trained IPM-trained pest management professional in multifamily housing. Inspection for pests. Ban on accumulation of material for rodent harborage in or about dwelling and premises. Trees, shrubs, and plantings no closer than 6" from dwelling. Sealing of holes and joints with low-VOC caulk or closed-cell insulation. Ban on foggers and organophosphates. Dwelling and area to be free of conditions that attract and support pests. Ban on accumulation of water. Elimination of infestation using exclusion and IPM. Use of integrated pest management (IPM).

Table 6: Compa	Table 6: Comparison of Chemical and Radiological Agents Provisions		
NHHS	IPMC	Mansfield, Ohio	
Summary - 21 mandatory - 4 stretch	4% same or similar - 1 of 21 mandatory - 0 of 4 stretch.	0% same or similar - 0 of 21 applicable mandatory - 0 of 4 applicable stretch	
General - 1 mandatory - 0 stretch	 0 of 1 applicable mandatory same or similar. Does not require: Containment, storage, removal, and mitigation of chemical and radiological agents in a safe and healthy manner consistent with federal, state, and local laws and regulations. 	 0 of 1 applicable mandatory same or similar. Does not require: Containment, storage, removal, and mitigation of chemical and radiological agents in a safe and healthy manner consistent with federal, state, and local laws and regulations. 	
Lead-based paint - 5 mandatory - 1 stretch	 0 of 5 applicable mandatory same or similar. Silent on lead-based paint. Does not require: Levels of lead deemed hazardous by federal government to be taken care of properly. Repair of deteriorated paint using lead-safe work practices. Compliance with federal renovation, repair, and painting rule and dust-clearance testing at conclusion of renovation work. Ban on particularly dangerous work practices. Ban use of lead-based paint. Stretch provision. 	 0 of 5 applicable mandatory same or similar. Does not require: Levels of lead deemed hazardous by federal government to be taken care of properly. Repair of deteriorated paint using lead-safe work practices. Compliance with federal renovation, repair, and painting rule and dust-clearance testing at conclusion of renovation work. Ban on particularly dangerous work practices. Ban on use of lead-based paint. Stretch provision. 	
Asbestos - 4 mandatory - 0 stretch	 0 of 4 applicable mandatory same or similar. Does not require: Maintenance of asbestos-containing materials in non-friable condition. Abatement of asbestos before any activity that disturbs it. Abatement of friable asbestos using licensed asbestos professional. Removal and disposal of asbestos in compliance with federal, state, and local requirements. 	 0 of 4 applicable mandatory same or similar. Does not require: Maintenance of asbestos-containing materials in non-friable condition. Abatement of asbestos before any activity that disturbs it. Abatement of friable asbestos using licensed asbestos professional. Removal and disposal of asbestos in compliance with federal, state, and local requirements. 	
Toxic substances in manufactured building materials - 2 mandatory	 0 of 2 applicable mandatory same or similar. Does not require: Use of low-formaldehyde wood products that comply with federal law. Use of building materials with no halogenated flame retardants and low-VOC emissions. 	 0 of 2 applicable mandatory same or similar. Does not require: Use of low-formaldehyde wood products that comply with federal law. Use of building materials with no halogenated flame retardants and low-VOC emissions. 	

Comparison of Mansfield, Ohio Housing Code to NHHS and IPMC 13 | P a g e

- 0 stretch		
Radon	0 of 1 applicable mandatory same or similar. Silent on	0 of 1 applicable mandatory same or similar. Silent on radon. Does not
- 1 mandatory	radon. Does not require:	require:
- 1 stretch	• Radon to be tested or high levels to be mitigated.	• Radon to be tested or high levels to be mitigated.
	• Stretch provision.	Stretch provision.
Pesticides	1 of 3 applicable mandatory same or similar. Does not	0 of 3 applicable mandatory same or similar. Does not require:
- 3 mandatory	require:	• Use of least toxic pesticides with demonstrated efficacy for pests using
- 0 stretch	• Use of least toxic pesticides with demonstrated efficacy	IPM.
	for pests using IPM.	Proper storage and disposal of pesticides.
	• Proper storage and disposal of pesticides.	• Compliance with manufacturer specifications and immediate mitigation of misuse.
Metham-	0 of 1 applicable mandatory same or similar. Does not	0 of 1 applicable mandatory same or similar. Does not require:
phetamine	require:	• Certification as safe by approved testing method from hazardous materials
- 1 mandatory	• Certification as safe by approved testing method from	used in meth manufacturing prior to occupancy.
- 0 stretch	hazardous materials used in meth manufacturing prior	
	to occupancy.	
Smoke in	0 of 4 applicable mandatory same or similar. Silent on	0 of 4 applicable mandatory same or similar. Does not require:
multifamily	smoking. Does not require:	• Ban in indoor common area of multifamily housing.
housing	• Ban in indoor common area of multifamily housing.	• Ban within 25' of entrances, air intakes, and openable windows.
- 4 mandatory	• Ban within 25' of entrances, air intakes, and openable	• Notice to tenants of smoking policy.
- 2 stretch	windows.	• Exemption from early termination penalties for tenants leaving early due
	• Notice to tenants of smoking policy.	to smoke incursion or smoke-free policy.
	• Exemption from early termination penalties for tenants	• Any of stretch provisions.
	leaving early due to smoke incursion or smoke-free policy.	
	Any of stretch provisions.	