

## **Pennsylvania Healthy Housing Fact Sheet**

The home is the most dangerous place for U.S. families.<sup>i</sup> Nearly six million families live in housing rivaling that of developing countries, with broken heating and plumbing, holes in walls and windows, roach and rodent infestation, falling plaster, crumbling foundations, and leaking roofs. Millions more in all 50 states live in housing with serious health and safety hazards, including mold, exposed wiring, radon, unvented heaters, toxic chemicals, broken stairs, missing smoke detectors, and other hazards.<sup>ii</sup> Home-based interventions to address health hazards improve health and have a large return on investment: Each dollar invested in lead paint hazard control results in a return of \$17 to \$221,<sup>iii</sup> and each dollar invested in asthma home-based interventions that include education and remediation results in a return of \$5.30 to \$14.00.<sup>iv</sup>

### **The need in Pennsylvania**

Thirty-three percent of children in Pennsylvania live in households with high housing cost burden, and 20% of children in Pennsylvania live in poverty.<sup>v</sup> Pennsylvania's housing stock is some of the oldest in the nation: Approximately 40% of Pennsylvania's housing units were built before 1950 and are likely to contain lead-based paint. In Philadelphia, approximately 95% of housing stock was built before 1978.<sup>vi</sup> These factors make Pennsylvania a high housing hazard state. Unhealthy housing conditions can lead to lead poisoning, injuries, and asthma and other respiratory problems. These health problems in turn result in missed school days and poor school performance for children, as well as missed work days for parents.

### **The need for funding**

To protect the health of Pennsylvania families and prevent continued increases in associated healthcare costs and societal consequences, full funding in FY 2017 and beyond is needed for the following:

- ✓ **CDC's Healthy Homes and Lead Poisoning Prevention Program = \$35,000,000**
- ✓ **CDC's National Asthma Control Program = \$30,596,000**
- ✓ **HUD's Office of Lead Hazard Control and Healthy Homes = \$230,000,000**

### **Funding for healthy housing in Pennsylvania**

- Since 1999, eligible cities, counties, and qualifying nonprofits have received \$93,963,838 in funding from HUD's Office of Lead Hazard Control and Healthy Homes for lead hazard reduction, healthy homes production, and education and outreach activities. From this total:
  - Three grants were awarded within the state of Pennsylvania in 2015: \$3.7 million to the city of Philadelphia; \$3.7 million to the city of Harrisburg; \$3.2 million to the county of Lawrence.<sup>vii</sup>
- From FY05 – FY14, Pennsylvania received a total of \$16,040,447 in funding from the Centers for Disease Control and Prevention's Healthy Homes and Lead Poisoning Prevention and National Asthma Control programs. Of this funding:
  - Pennsylvania has received a total of \$11,929,485 from the Healthy Homes and Lead Poisoning Prevention Program, including one award to the City of Philadelphia

## ***Pennsylvania Healthy Housing Fact Sheet (continued)***

Department of Public Health for \$291,972 for lead poisoning prevention activities in FY14.

- The Pennsylvania State Department of Health has received a total of \$4,110,962 in funding for asthma-related activities, including \$706,801 in FY14.
- The Pennsylvania Department of Health has been funded by CDC's National Asthma Control Program since 2003.<sup>viii</sup>

### **Childhood lead poisoning**

- In 2012, 13,890 of the children tested in Pennsylvania had an elevated blood lead level, which is five or more micrograms of lead per deciliter of blood ( $\mu\text{g}/\text{dL}$ ); 2,315 of them had blood lead levels of 10  $\mu\text{g}/\text{dL}$  or more.<sup>ix</sup>
- In 2013, Lehigh County had the highest percentage of children tested with elevated blood lead levels of 5  $\mu\text{g}/\text{dL}$  or more of all Pennsylvania counties at 22.96% of children tested (836 children). Berks and Lehigh counties were the only two among the 10 highest for both testing numbers and percentages of children tested with elevated blood lead levels of 5  $\mu\text{g}/\text{dL}$  or more.<sup>x</sup>

### **Asthma<sup>xi</sup>**

- Approximately 877,000 adults (10%) and 274,000 children (10%) in Pennsylvania had current asthma in 2012.
- Statewide in 2012, there were over 20,000 inpatient hospitalizations due to asthma, a rate of 15.7 per 10,000 residents.
  - The rate for children under age five was 43.8 per 10,000, the highest of any age group.
- The cost for asthma-related hospitalizations (not including physician charges) was approximately \$518 million.

### **Radon**

- According to the Pennsylvania Department of Environmental Protection, Pennsylvania has one of the most serious radon problems in the country. An estimated 40% of Pennsylvania homes have radon levels above EPA's action guideline of 4 pCi/L.<sup>xii</sup>

### **Carbon monoxide deaths**

- There were 689 deaths due to carbon monoxide exposure from 2000 to 2007.<sup>xiii</sup>

### **Injury-related deaths**

- For every 100,000 persons in Pennsylvania, there were 32.19 unintentional injury deaths caused by dangers other than automobile-related issues.<sup>xiv</sup>

### **National rankings**

- NCHH's 2013 *State of Healthy Housing* report ranks 45 metropolitan statistical areas according to healthy housing related data in the American Housing Survey. The state of Pennsylvania has two cities included in the report: Pittsburgh ranked 24th and was categorized as having "fair" healthy

## ***Pennsylvania Healthy Housing Fact Sheet (continued)***

housing characteristics; Philadelphia ranked 39th and was categorized as having “most unhealthy” healthy housing characteristics.<sup>xv</sup>

- The Asthma and Allergy Foundation of America’s listing of “Asthma Capitals” for 2014 ranks the 100 largest U.S. metro areas to identify the “most challenging places to live with asthma.” The state of Pennsylvania has three cities in the within the 10 most challenging: Philadelphia (5th), Allentown (12th), and Pittsburgh (15th). Two additional cities are included in the top 50: Harrisburg (37th) and Scranton (47th).<sup>xvi</sup>

### **Healthcare financing for healthy homes<sup>xvii</sup>**

The National Center for Healthy Housing’s November 2014 [study](#) regarding state Medicaid reimbursement policies for environmental health services in the homes of people with asthma and children exposed to lead shows that in [Pennsylvania](#) some level of Medicaid reimbursement is in place for activities related to lead, but none is in place for activities related to asthma; no efforts to further explore reimbursement were identified.<sup>1</sup>

Opportunities for Pennsylvania to improve reimbursement of environmental health services further include:

- Effecting coverage for home-based asthma services that address environmental triggers in the home environment.
- Ensuring that services and supports are included to eliminate or reduce exposure to asthma triggers or lead hazards identified in the home environment.

### **NSHHC members in Pennsylvania**

The National Safe and Healthy Housing Coalition (NSHHC) is a broad, voluntary coalition of over 225 organizations working to improve housing conditions nationwide through education and outreach to key national stakeholders and federal public decision-makers. Current NSHHC organizational members from Pennsylvania include:

- |  |  |
|--|--|
| • Allegheny County Health Department       | • Pennsylvania Department of Health      |
| • Ceiling to Ceiling Home Inspections      | • Pennsylvania Housing Finance Agency    |
| • City of Lancaster                        | • Pennsylvania State University          |
| • City of Philadelphia                     | • Pinnacle Health System CLPPP           |
| • Drexel School of Public Health           | • Public Citizens for Children and Youth |
| • Lawrence County Community Action Program |  |

### **For additional information, please contact**

Julie Kruse, Director of Policy  
National Center for Healthy Housing  
[jkruse@nchh.org](mailto:jkruse@nchh.org), 202.280.1982

---

<sup>1</sup> Note: (a) These are self-reported results that have not been independently verified; (b) the existence of a policy does NOT mean that services are actually being delivered on the ground.

## Pennsylvania Healthy Housing Fact Sheet (continued)

- 
- <sup>i</sup> Centers for Disease Control and Prevention. (2007). Injury in the United States: 2007 chartbook. Retrieved from <http://www.cdc.gov/nchs/data/misc/injury2007.pdf>
- <sup>ii</sup> National Center for Healthy Housing. (2013). State of healthy housing. Retrieved from <http://www.nchh.org/Policy/2013StateofHealthyHousing.aspx>
- <sup>iii</sup> Gould, E. (2009, July). Childhood lead poisoning: Conservative estimates of the social and economic benefits of lead hazard control. *Environmental Health Perspectives*, 117(7), 1162-1167. Retrieved from <http://ehp.niehs.nih.gov/wp-content/uploads/117/7/ehp.0800408.pdf>
- <sup>iv</sup> The Guide to Community Preventive Services (The Community Guide). (2013, September 27). Asthma control. Retrieved from <http://www.thecommunityguide.org/asthma/multicomponent.html>
- <sup>v</sup> The Annie E. Casey Foundation. 2014 kids count data book: Pennsylvania state profile. Retrieved from [http://www.aecf.org/m/databook/2014KC\\_profile\\_PA.pdf](http://www.aecf.org/m/databook/2014KC_profile_PA.pdf)
- <sup>vi</sup> Public Citizens for Children and Youth. (n.d.) 2012 Philadelphia rental property lead law. Retrieved from <http://www.pccy.org/resource/2012-philadelphia-rental-property-lead-law/>
- <sup>vii</sup> [http://portal.hud.gov/hudportal/HUD?src=/press/press\\_releases\\_media\\_advisories/2015/HUDNo\\_15-104](http://portal.hud.gov/hudportal/HUD?src=/press/press_releases_media_advisories/2015/HUDNo_15-104)
- <sup>viii</sup> Centers for Disease Control and Prevention. (2014, September 24). Asthma: Pennsylvania. Retrieved from <http://www.cdc.gov/asthma/contacts/pa.htm>
- <sup>ix</sup> Centers for Disease Control and Prevention. (n.d.). Number of children tested and confirmed EBLs by state, year, and BLL group, children < 72 months old. Retrieved from <http://www.cdc.gov/nceh/lead/data/StateConfirmedByYear1997-2012.htm>
- <sup>x</sup> Pennsylvania Department of Health. (2013). 2013 Childhood Lead Surveillance Annual Report. Retrieved from [http://www.portal.state.pa.us/portal/server.pt/community/lead\\_poisoning\\_prevention\\_control/14175](http://www.portal.state.pa.us/portal/server.pt/community/lead_poisoning_prevention_control/14175)
- <sup>xi</sup> Pennsylvania Department of Health. (n.d.). 2014 asthma fact sheet. Retrieved from [http://www.portal.state.pa.us/portal/server.pt/document/1424463/2014\\_asthma\\_fact\\_sheet\\_pdf](http://www.portal.state.pa.us/portal/server.pt/document/1424463/2014_asthma_fact_sheet_pdf)
- <sup>xii</sup> Pennsylvania Department of Environmental Protection. Radon division. Retrieved from [http://www.portal.state.pa.us/portal/server.pt/community/radon\\_division/21923](http://www.portal.state.pa.us/portal/server.pt/community/radon_division/21923)
- <sup>xiii</sup> National Environmental Public Health Tracking Program. (n.d.). CDC Environmental Health Tracking Network (2000-2007). Carbon monoxide deaths (#)/multi-year period. Retrieved from <http://ephtracking.cdc.gov/QueryPanel/EPHTNQuery/EPHTQuery.html?c=CO&i=-1&m=-1#>
- <sup>xiv</sup> Centers for Disease Control and Prevention. (n.d.). Injury prevention & control: Data & statistics (WISQARS) [Database]: Injury statistics query & reporting system: Composite indicator (excluding unintentional deaths related to motor vehicles): Unintentional injury death rate (per 100,000). Retrieved from <http://www.cdc.gov/injury/wisqars/index.html>
- <sup>xv</sup> National Center for Healthy Housing. (n.d.). Ranking of communities by healthy housing quality—all units MSA. Retrieved from <http://www.nchh.org/Policy/2013StateofHealthyHousing/NationalRankings/tabid/861/healthy/1/Default.aspx>
- <sup>xvi</sup> Asthma and Allergy Foundation of America. (2014, April 28). The most challenging places to live with asthma. Retrieved from [http://www.aafa.org/pdfs/2014\\_AC\\_FinalPublicList1.pdf](http://www.aafa.org/pdfs/2014_AC_FinalPublicList1.pdf)
- <sup>xvii</sup> National Center for Healthy Housing. (2014). 2014 snapshot of healthcare financing for healthy homes in the United States. Retrieved from <http://www.nchh.org/Resources/HealthcareFinancing/Snapshot.aspx>

## Funding from HUD's Office of Lead Hazard Control and Healthy Homes

State	Name	City	Amount	L or HH	Year	Program
PA	County of Lawrence	New Castle	\$ 3,231,610	L	2015	LBPHC
PA	City of Harrisburg	Harrisburg	\$ 3,714,272	L	2015	LHRD
PA	City of Philadelphia	Philadelphia	\$ 3,714,272	L	2015	LHRD
PA	Redevelopment Authority of the City of Erie	Erie	\$ 3,000,000	L	2013	LHRD
PA	Pennsylvania Dept of Health	Harrisburg	\$ 2,480,000	L	2012	LBPHC
PA	County of Lawrence	New Castle	\$ 2,480,000	L	2012	LBPHC
PA	City of Philadelphia	Philadelphia	\$ 3,000,000	L	2011	LHRD
PA	Redevelopment Authority of the City of Erie	Erie	\$ 2,475,000	L	2011	LBPHC
PA	City of Harrisburg	Harrisburg	\$ 2,206,487	L	2010	LBPHC
PA	City of Philadelphia Dept of Public Health	Philadelphia	\$ 1,000,000	HH	2010	HHP
PA	Pennsylvania Dept of Health	Harrisburg	\$ 3,070,000	L	2009	LBPHC
PA	County of Lawrence	New Castle	\$ 3,070,000	L	2009	LBPHC
PA	Redevelopment Authority of the City of Erie	Erie	\$ 4,000,000	L	2009	LHRD
PA	City of Philadelphia	Philadelphia	\$ 3,000,000	L	2008	LBPHC
PA	City of Philadelphia	Philadelphia	\$ 4,000,000	L	2008	LHRD
PA	City of Philadelphia	Philadelphia	\$ 875,000	HH	2008	ARRA
PA	Healthy Homes Resources	Pittsburgh	\$ 874,821	HH	2008	ARRA
PA	Pennsylvania Dept of Health	Harrisburg	\$ 875,000	HH	2008	ARRA
PA	Philadelphia Housing Authority	Philadelphia	\$ 871,664	HH	2008	ARRA
PA	City of Erie	Erie	\$ 3,000,000	L	2007	LBPHC
PA	City of Harrisburg	Harrisburg	\$ 2,154,490	L	2007	LBPHC
PA	Commonwealth of Pennsylvania	Philadelphia	\$ 3,000,000	L	2006	LHC
PA	Lawrence County	New Castle	\$ 3,000,000	L	2006	LHC
PA	National Nursing Centers Consortium	Philadelphia	\$ 200,000	L	2006	LO
PA	City of Philadelphia	Philadelphia	\$ 1,000,000	HH	2005	HHD
PA	City of Philadelphia	Philadelphia	\$ 2,999,628	L	2005	LHC
PA	City of Philadelphia	Philadelphia	\$ 4,000,000	L	2005	LHRD
PA	City of Philadelphia	Philadelphia	\$ 600,000	L	2005	LTS
PA	City of Philadelphia	Philadelphia	\$ 4,000,000	L	2004	LHRD
PA	Philadelphia Housing Authority	Philadelphia	\$ 1,000,000	HH	2004	HHD
PA	Healthy Homes Resources	Pittsburgh	\$ 910,875	HH	2004	HHD
PA	City of Pittston	Pittston	\$ 2,951,644	L	2004	LHC
PA	City of Allentown	Allentown	\$ 1,149,077	L	2003	
PA	City of Erie	Erie	\$ 3,000,000	L	2003	
PA	City of Harrisburg	Harrisburg	\$ 3,000,000	L	2003	
PA	State of Pennsylvania	Harrisburg	\$ 3,000,000	L	2003	
PA	City of Philadelphia	Philadelphia	\$ 2,599,998	L	2003	LHRD
PA	Allegheny County	Pittsburgh	\$ 2,160,000	L	2002	
PA	City of Philadelphia	Philadelphia	\$ 800,000	L	2002	
PA	City of Harrisburg	Harrisburg	\$ 1,200,000	L	1999	
PA	City of Philadelphia	Philadelphia	\$ 200,000	L	1999	
PA	Monsoon Microstudios, Inc.	Philadelphia	\$ 100,000	HH	1999	

**\$ 93,963,838 Total FY99-FY15**

**Funding from CDC's Childhood Lead Poisoning Prevention and National Asthma Control Programs - PENNSYLVANIA**

Program and Grantee	FY 2005	FY 2006	FY 2007	FY 2008	FY 2009	FY 2010	FY 2011	FY 2012	FY 2013	FY 2014	TOTALS BY PROGRAM
<b>Childhood Lead Poisoning Prevention*</b>											<b>\$ 11,929,485</b>
Pennsylvania Department of Health	\$ 783,434	\$ 539,063	\$ 556,441	\$ 610,417	\$ 669,793	\$ 625,984	\$ 594,000	\$ -	\$ -	\$ -	\$ 4,379,132
City of Philadelphia Department of Public Health	\$ 1,115,000	\$ 1,293,984	\$ 1,223,114	\$ 1,260,634	\$ 1,222,815	\$ 1,142,834	\$ -	\$ -	\$ -	\$ 291,972	\$ 7,550,353
<b>Addressing Asthma in Public Health</b>											<b>\$ 3,903,160</b>
Pennsylvania State Department of Health	\$ 195,822	\$ 327,779	\$ 335,000	\$ 335,000	\$ 450,000	\$ 450,000	\$ 381,246	\$ 386,666	\$ 364,320	\$ 677,327	
<b>Surveillance - Asthma</b>											<b>\$ 207,802</b>
Pennsylvania State Department of Health	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ 119,333	\$ 38,280	\$ 20,715	\$ 29,474	
<b>Other - Asthma</b>											<b>\$ -</b>
	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
<b>TOTALS BY FISCAL YEAR</b>	<b>\$ 2,094,256</b>	<b>\$ 2,160,826</b>	<b>\$ 2,114,555</b>	<b>\$ 2,206,051</b>	<b>\$ 2,342,608</b>	<b>\$ 2,218,818</b>	<b>\$ 1,094,579</b>	<b>\$ 424,946</b>	<b>\$ 385,035</b>	<b>\$ 998,773</b>	

**GRAND TOTAL FY05 - FY 14 \$ 16,040,447**

\* Timeline of CDC's Childhood Lead Poisoning Prevention Program's Name:

2005-2010: Childhood Lead Poisoning Prevention Program

2011, 2012, 2014: Healthy Homes and Lead Poisoning Prevention Program

2013: The lead program was not funded.